

Nº 46365

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV-1-6-1982 New priority date MAY 2 1985

Returned to applicant for correction.....

Corrected application filed.....

Map filed JULY 11, 1980 under 41687

The applicant Thomas and LesLee Simonini

c/o 2325 W. Charleston Blvd, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89102, hereby make application for permission to appropriate the public
State and Zip Code No.
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is an underground source
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.05 cfs second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Quasi-Municipal purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated:.....

(b) Stockwater, state number and kinds of animals to be watered:.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point: within the NW1/4 of the NE1/4 of Section 23, T. 19 S., R. 60 E., M.D.B. & M., or at a point from which the NE corner of said survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
Describe as being within a 40-acre subdivision of public
Section 23 bears North 57°55'08" East a distance of 1941.35 feet.

6. Place of use Within the NW1/4 of the NE1/4 of Section 23, Township 19 South, Range 60 East, M.D.B. & M., approximately five (5) acres.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump, electric motor, domestic water lines from seven houses to 2000 gallon water storage tank
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$12,000.00

10. Estimated time required to construct works five years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use Eleven years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used on a four lot minor subdivision and a three lot
minor subdivision. Use Map submitted under application/Permit # 41687. This
application is intended to replace Permit #41687 which was inadvertently allowed
to expire.

s/ Stephen F. Turner
 By Stephen F. Turner
 2325 Charleston Blvd.
 Las Vegas, NV 89102

Compared ds/bl br/ja

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.05 cubic feet per second, but not to exceed 2.56 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before August 12, 1984

Proof of completion of work shall be filed before September 12, 1984

Application of water to beneficial use shall be made on or before August 12, 1987

Proof of the application of water to beneficial use shall be filed on or before September 12, 1987

Map in support of proof of beneficial use shall be filed on or before _____

Completion of work filed JUN 24 1985 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed _____ State Engineer of Nevada, have hereunto set my hand and the seal of
 my office, this 12th day of AUGUST

Cultural map filed _____

Certificate No. _____ Issued _____

218 (Rev.)

A.D. 19 83

[Signature]
 State Engineer

~~CANCELLED OCT 29 1984~~

~~OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT~~

~~*[Signature]*~~
 State Engineer

Received 5-23-85